

UNIVERSIDAD INCA GARCILASO DE LA VEGA

FACULTAD DE ENFERMERIA



**RELACIÓN ENTRE NIVEL DE CONOCIMIENTO Y PREVENCIÓN DE
TUBERCULOSIS EN PACIENTES, CENTRO DE SALUD PUEBLO
NUEVO - CHINCHA 2017**

TESIS

PRESENTADO POR:

Bach. MAURA LILIANA SARAVIA SAENZ

PARA OPTAR EL TÍTULO PROFESIONAL DE:

LICENCIADA EN ENFERMERÍA

ASESORA:

Dra. ESVIA CONSUELO TORNERO TASAYCO

CHINCHA - PERÚ

2018

RESUMEN

La investigación titulada “Relación entre nivel de conocimiento y prevención de tuberculosis del paciente, centro de salud Pueblo Nuevo - Chincha 2017”.

El objetivo general fue determinar la relación que existe entre nivel de conocimiento y prevención de tuberculosis, es de tipo descriptivo, transversal, de diseño correlacionar.

La población estuvo conformada por 57 pacientes, la muestra se trabajó con la misma cantidad de pacientes, los datos fueron procesados obteniéndose como resultado: En datos generales que: el sexo predominante es el femenino, y que la edad predominante es de 15 a 24 años; que el 49.1% solo tiene estudios primarios y le sigue con el 40.4% pacientes con estudios secundarios; con respecto a la ocupación el 56.1% son independientes y trabajan como vendedores ambulantes, y le sigue el desempleo con un 19.3%, todo esto nos da a conocer que hace mucha falta educarnos en el nivel de prevención.

En el nivel de conocimiento se obtuvo como resultado que el 80.7% tiene un bajo nivel de conocimiento sobre tuberculosis, en la prevención de la tuberculosis el 77% de los pacientes tienen un bajo nivel en desconocer la dieta que debe consumir, el autocuidado y la asistencia sanitaria con que debe contar para recuperar su salud. Se trabajó con la prueba estadística del Chi cuadrado para probar hipótesis.

Palabras Clave: Conocimiento, prevención, pacientes, tuberculosis.

ABSTRACT

The study of investigation carries like title “Relación between the level of knowledge and the prevention of tuberculosis of the patient that took to the centre of health Pueblo New - Chincha 2017”; His general aim is: Determine which relation exists between the level of knowledge and the prevention of the tuberculosis in patients that assist to the centre of health Pueblo New - Chincha 2017; His work is a descriptive type, of transversal court, of design correlacionar. The population was confirmed by 57 patients and for the sample we worked with the same quantity of patients, the data were processed obtaining like result: In general data : the predominant sex is the feminine, and that the predominant age is of 15 to 24 years; that 49.1% solo has primary studies and then follows with 40.4% patients with secondary studies; regarding the occupation 56.1% are independent and work like travelling sellers, and follows this the unemployment with 19,3%, all this gives us to know that it does a lot of fault the education in health in the level of prevention. In the level of knowledge obtained like result that the following: 80.7% has a low level of knowledge on tuberculosis, In the prevention of the tuberculosis 77% of the patients have a low level in knowledge about the diet that has to consume, the autocuidado and the sanitary assistance with that it has to explain to recover his health. It used the statistical proof of the chi square to test hypothesis. Arriving to the conclusion that there is evidence that exists a significant relation between the level of knowledge and the prevention of the tuberculosis.

KEYWORDS: Knowledge, prevention, patient, tuberculosis.